



On the Internet at www.mmakorea.co.kr



Mega Center # 210 SK Technopark, 190-1 Sangdaewon-Dong, Choongwon-Gu, Sungnam-Si, Kyunggi-Do, Korea. Phone: +82 2 585 3808 Fax: +82 2 585 3809

E-mail: mmakorea@kornet.net, intl@mmakorea.co.kr

Website: www.mmakorea.co.kr

- The actual products may differ from the picture, specifications and description in this publication.
- 출판물에 게재된 실제품의 설명, 제원 및 사진은 실물과 다를 수 있습니다.

Distributed by





Medical Gas Secondary & Accessories



Medical Gas Secondary Equipment & Accessories



MODEL: JM-VR

MODEL: JM-VR-TB

Wall Mounted Suction Unit

Dumed wall mounted regulators was widely regarded as the industry standard for quality and reliability. Complete lines of specialized regulators are designed to meet your clinical suctioning needs in all hospital range.

- Suction regulator with collection bottle (1300cc)
- Suction regulator with full package set (300cc Trap Bottle & 1300cc Bottle)

Suction Regulator


- Light weight construction
- High impact plastic bodyEasy to clean
- •3 Color coded gauge 0 ~ 300 mmHg (0~760 mmHg available)
- Integral bellows type gauge
- Suction control knob On/off, Increase / Decrease
- Three mode adjustment control (REG / OFF / FULL) Probe

Oxygen Flowmeter with Humidifier

- Full line of inlet connections available
- Lexan inner and outer tubes with lifetime warranty
- 1/8" NPT internal thread inlet
- Expanded 0~15 L/min scale
- Unbreakable polycarbonate bottle



MODEL: BB-015



Dumed Thoracic suction unit is a lightweight, compact unit used throughout the hospital for chest and mediastinal drainage.

The unit has a double chamber, which provides an adjustable vacuum of 0 to 25cmHg and housed in double polycarbonate bottle.

One chamber is using a water manometer with water level, the other serving as the underwater seal for negative pressure control.

This unit is standardizing throughout the hospital from ER to Recovery, ICU where need the low pressure continuously.

MODEL: MTS-250

Medical Gas Secondary Equipment & Accessories



Oxygen Flowmeter with Bubble Jet

- It can be regulated the humidity for the patient
- Safety device shall be operated at over 2PSI
- Bubble mode: 2 LPM 45% ~ 12 LPM 21%
- Jet mode: 3 LPM 40% ~ 8 LPM 70%
- Easy to use



MODEL: BB-015



Movable Suction Unit

- Versatile stand slide bracket for control of height
- Stable 3-Casters with locking wheels
- Suction bottle (8000cc)
- Vacuum hose (4 meter long)
- Vacuum regulator (0 ~ 760mmHg)
- On/Off Valve & Stand by inlet cock valve
- Over-flow Protector

MODEL: MMSU-CT

Fittings and Adapters



* Chemetron Type, Ceiling Hose Type, GEM 10 Type. Puritan Benett Type are also available....